



CATALOG NO	VOLTAGE	NEC MOTOR HP	NEC MOTOR CURRENT	WATTS LOSS	APPROX. WEIGHT-LBS	AMPS MAX.
KDRJ41HC5	575/600	200	192	466	120	192

NOTE 1: WATTS LOSS WILL VARY DUE TO FUNDAMENTAL FREQUENCY, CARRIER FREQUENCY AND OTHER SYSTEM CHARACTERISTICS. KDR DRIVE REACTORS COMPLY WITH THE THERMAL AND ALTITUDE STANDARDS SET FORTH BY NEMA ST20-1992..

NEC MOTOR CURRENTS SHOWN IN THE 208/240 VOLT CHART ARE BASED ON HORSEPOWER AT 208 VOLT. 575/600 VOLT CHART USE THE 575 VOLT CURRENT RATING.



ENCLOSURE LABEL PLACED ON FRONT COVER.

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL LOCAL AND NATIONAL CODES

				TOLERANCES EXCEPT AS NOTED		7878 N. 86th STREET MILWAUKEE, WI 53224 KDR FRAME J ENCLOSED	
				DECIMAL			
				.XX ± .03		DRN BY DSW DATE 3/05/03 DWG NO. BKDRJ41HC5DG SCALE TO FIT APPRVD. D	
				.XXX ± .01			
				FRACTIONAL		NO. 2679 CHG DWG VIEWS 5/20/10 DSW REVISION DATE BY	
				± 1/32			
				ANGULAR		SHT. 1 of 1	
				± 1/2°			