





CATALOG NO	VOLTAGE	NEC MOTOR HP	NEC MOTOR CURRENT	WATTS LOSS	APPROX WT-LBS	TORQUE (LB-IN)
KDR131P	575	150	144	SEE NOTE 1	50	--



NOTE 1: WATTS LOSS WILL VARY DUE TO FUNDAMENTAL FREQUENCY, CARRIER FREQUENCY AND OTHER SYSTEM CHARACTERISTICS. KDR DRIVE REACTORS COMPLY WITH THE THERMAL AND ALTITUDE STANDARDS SET FORTH BY NEMA ST20-1992..

NOTE: A1, A2, B1, B2, C1, C2, MARKINGS ON COIL FOR REFERENCE ONLY.



				TOLERANCES (UNLESS AS NOTED)		TCI 7878 N. 86th STREET MILWAUKEE, WI 53224	
				DECIMAL			KDR DRIVE REACTOR 575V, OUTPUT, "I" FRAME
				.XX ±.03			
				.XXX±.01			SCALE 1/2"=1"
ADD MARKING NOTE				11/22/06	DSW	FRONT VIEW	SHT. 1 OF 1
2235 MOUNTING CHG				07/29/03	DSW	REAR VIEW	
NO	REVISION	DATE	BY	± 1/2"			