





CATALOG NO	VOLTAGE	NEC MOTOR HP	NEC MOTOR CURRENT	WATTS LOSS	APPROX WT-LBS	TORQUE (LB-IN)
KDRJ31P	575	300	289	SEE NOTE	70	--

NOTE: WATTS LOSS WILL VARY DUE TO FUNDAMENTAL FREQUENCY, CARRIER FREQUENCY AND OTHER SYSTEM CHARACTERISTICS.  
KDR DRIVE REACTORS COMPLY WITH THE THERMAL AND ALTITUDE STANDARDS SET FORTH BY NEMA ST20-1992..



NOTE: A1, A2, B1, B2, C1, C2, MARKINGS ON COIL FOR REFERENCE ONLY.



				TOLERANCES (UNLESS AS NOTED)	<b>7878 N. 86th STREET MILWAUKEE, WI 53224</b>
				DECIMAL	
				.XX ±.03	<b>KDR DRIVE REACTOR</b> <b>575V, OUTPUT, "J" FRAME</b>
				.XXX ±.010	
				FRACTIONAL ± 1/16	
				ANGULAR ± 1/2°	
ADD MARKING NOTE	11/27/06	DSW			DATE BY
#2235, MOUNTING CHG	05/28/03	DSW			DATE BY
#2112 ADD MOTOR AMP	07/19/06	DSW			DATE BY
NO	REVISION	DATE	BY		SCALE 1/2"=1"