

## DIN Rail Drive Reactors KDR™ Series

**480 Volt**

Part Number	NEC Motor HP	NEC Motor Current	Watts Loss	Standard Terms	Dimensions (in.)			Weight	Price
					Height	Width	Depth		
<b>LOW - Z</b>									
KDRA6LDR	0.5	1.1	5.6	TB	4.00	4.18	3.75	4	\$140.00
KDRA7LDR	0.75	1.6	10	TB	4.00	4.18	3.75	4	\$142.00
KDRA8LDR	1	2.1	10.4	TB	4.00	4.18	3.75	4	\$146.00
KDRA9LDR	1.5	3	17	TB	4.00	4.18	3.75	4	\$149.00
KDRA1LDR	2	3.4	19	TB	4.00	4.18	3.75	4	\$152.00
KDRA2LDR	3	4.8	23	TB	4.00	4.18	3.75	4	\$163.00
KDRA3LDR	5	7.6	49	TB	4.00	4.18	3.75	4	\$170.00
KDRA4LDR	7.5	11	40	TB	4.00	4.18	3.75	4	\$175.00
KDRA5LDR	10	14	64	TB	4.00	4.18	3.75	5	\$227.00
KDRB2LDR	15	21	65	TB	5.00	6.00	4.00	8	\$230.00
KDRB1LDR	20	27	79	TB	5.00	6.00	4.00	8	\$242.00
<b>HIGH - Z</b>									
KDRA6HDR	0.5	1.1	9	TB	4.00	4.18	3.75	4	\$149.00
KDRA7HDR	0.75	1.6	15	TB	4.00	4.18	3.75	4	\$151.00
KDRA8HDR	1	2.1	12	TB	4.00	4.18	3.75	4	\$153.00
KDRA9HDR	1.5	3	23	TB	4.00	4.18	3.75	4	\$155.00
KDRA1HDR	2	3.4	33	TB	4.00	4.18	3.75	4	\$157.00
KDRA2HDR	3	4.8	38	TB	4.00	4.18	3.75	4	\$190.00
KDRA3HDR	5	7.6	80	TB	4.00	4.18	3.75	4	\$197.00
KDRA4HDR	7.5	11	77	TB	4.00	4.18	3.75	5	\$219.00
KDRA5HDR	10	14	111	TB	4.00	4.18	3.75	5	\$267.00
KDRB2HDR	15	21	133	TB	5.00	6.00	4.00	7	\$272.00

**575/600 Volt**

Part Number	NEC Motor HP	NEC Motor Current	Watts Loss	Standard Terms	Dimensions (in.)			Weight	Price
					Height	Width	Depth		
<b>LOW - Z</b>									
KDRA55LDR	0.5	0.9	6	TB	4.00	4.18	3.75	4	\$128.00
KDRA56LDR	0.75	1.3	9.3	TB	4.00	4.18	3.75	4	\$131.00
KDRA50LDR	1	1.7	12	TB	4.00	4.18	3.75	4	\$135.00
KDRA51LDR	1.5	2.4	19	TB	4.00	4.18	3.75	4	\$139.00
KDRA46LDR	2	2.7	22	TB	4.00	4.18	3.75	4	\$140.00
KDRA52LDR	3	3.9	23.3	TB	4.00	4.18	3.75	4	\$146.00
KDRA47LDR	5	6.1	34.7	TB	4.00	4.18	3.75	4	\$152.00
KDRA48LDR	7.5	9	42.9	TB	4.00	4.18	3.75	4	\$175.00
KDRA49LDR	10	11	43.8	TB	4.00	4.18	3.75	5	\$193.00
KDRB45LDR	15	17	66.2	TB	5.00	6.00	4.00	8	\$216.00
KDRB44LDR	20	22	71.2	TB	5.00	6.00	4.00	8	\$227.00
KDRB43LDR	25	27	76.7	TB	5.00	6.00	4.00	8	\$245.00
<b>HIGH - Z</b>									
KDRA55HDR	0.5	0.9	8	TB	4.00	4.18	3.75	4	\$140.00
KDRA52HDR	0.75	1.3	13	TB	4.00	4.18	3.75	4	\$143.00
KDRA50HDR	1	1.7	17	TB	4.00	4.18	3.75	4	\$146.00
KDRA51HDR	1.5	2.4	26	TB	4.00	4.18	3.75	4	\$149.00
KDRA43HDR	2	2.7	23	TB	4.00	4.18	3.75	4	\$151.00
KDRA44HDR	3	3.9	34	TB	4.00	4.18	3.75	4	\$152.00
KDRA45HDR	5	6.1	47	TB	4.00	4.18	3.75	4	\$206.00
KDRB42HDR	7.5	9	61	TB	5.00	6.00	4.00	8	\$250.00
KDRB43HDR	10	11	70	TB	5.00	6.00	4.00	8	\$280.00
KDRB44HDR	15	17	73	TB	5.00	6.00	4.00	8	\$288.00

## DIN Rail Drive Reactors KDR™ Series

690 Volt	Part Number	NEC Motor HP	NEC Motor Current	Watts Loss	Standard Terms	Dimensions (in.)			Weight	Price
	LOW - Z									
	KDRA55LDRV	0.5	0.9	6	QD	4.31	4.18	4.75	4	\$128.00
	KDRA56LDRV	0.75	1.3	9.3	QD	4.31	4.18	4.75	4	\$131.00
	KDRA50LDRV	1	1.7	12	QD	4.31	4.18	4.75	4	\$135.00
	KDRA51LDRV	1.5	2.4	19	QD	4.31	4.18	4.75	4	\$139.00
	KDRA46LDRV	2	2.7	22	QD	4.31	4.18	4.75	4	\$140.00
	KDRA52LDRV	3	3.9	23.3	QD	4.31	4.18	4.75	4	\$146.00
	KDRA47LDRV	5	6.1	34.7	QD	4.31	4.18	4.75	4	\$152.00
	KDRA48LDRV	7.5	9	42.9	QD	4.31	4.18	4.75	4	\$175.00
KDRA49LDRV	10	11	43.8	QD	4.31	4.18	4.75	5	\$193.00	
KDRB45LDRV	15	17	66.2	RL	5.25	4.75	6.00	8	\$216.00	
KDRB44LDRV	20	22	71.2	RL	5.25	4.75	6.00	8	\$227.00	
KDRB43LDRV	25	27	76.7	RL	5.25	4.75	6.00	8	\$245.00	
HIGH - Z										
KDRA55HDRV	0.5	0.9	8	QD	4.31	4.18	4.75	4	\$140.00	
KDRA52HDRV	0.75	1.3	13	QD	4.31	4.18	4.75	4	\$143.00	
KDRA50HDRV	1	1.7	17	QD	4.31	4.18	4.75	4	\$146.00	
KDRA51HDRV	1.5	2.4	26	QD	4.31	4.18	4.75	4	\$149.00	
KDRA43HDRV	2	2.7	23	QD	4.31	4.18	4.75	4	\$151.00	
KDRA44HDRV	3	3.9	34	QD	4.31	4.18	4.75	4	\$152.00	
KDRA45HDRV	5	6.1	47	QD	4.31	4.18	4.75	4	\$206.00	
KDRB42HDRV	7.5	9	61	QD	5.25	4.20	6.00	8	\$250.00	
KDRB43HDRV	10	11	70	QD	5.25	4.20	6.00	8	\$280.00	
KDRB44HDRV	15	17	73	RL	5.25	4.75	6.00	8	\$288.00	

208/240 Volt	Part Number	NEC Motor HP	NEC Motor Current	Watts Loss	Standard Terms	Dimensions (in.)			Weight	Price
	LOW - Z									
	KDRA54LDR	0.5	2.4	7	TB	4.00	4.18	3.75	4	\$134.00
	KDRA53LDR	0.75	3.5	12	TB	4.00	4.18	3.75	4	\$136.00
	KDRA25LDR	1	4.6	11	TB	4.00	4.18	3.75	4	\$139.00
	KDRA26LDR	1.5	6.6	18	TB	4.00	4.18	3.75	4	\$143.00
	KDRA27LDR	2	7.5	21	TB	4.00	4.18	3.75	4	\$146.00
	KDRA28LDR	3	10.6	29	TB	4.00	4.18	3.75	4	\$160.00
	KDRB22LDR	5	16.7	38	TB	5.38	6.00	4.00	8	\$220.00
	KDRB23LDR	7.5	24.2	48	TB	5.38	6.00	4.00	8	\$247.00
HIGH - Z										
KDRA54HDR	0.5	2.4	14	TB	4.00	4.18	3.75	4	\$140.00	
KDRA53HDR	0.75	3.5	16.8	TB	4.00	4.18	3.75	4	\$146.00	
KDRA25HDR	1	4.6	23.6	TB	4.00	4.18	3.75	4	\$152.00	
KDRA27HDR	1.5	6.6	30.6	TB	4.00	4.18	3.75	4	\$161.00	
KDRA26HDR	2	7.5	30.5	TB	4.00	4.18	3.75	4	\$166.00	
KDRA28HDR	3	10.6	43.1	TB	4.00	4.18	3.75	4	\$171.00	
KDRB25HDR	5	16.7	53.1	TB	5.00	6.00	4.00	8	\$230.00	
KDRB26HDR	7.5	24.2	66.5	TB	5.00	6.00	4.00	8	\$238.00	

# DIN Rail Drive Reactors KDR™ Series

# OUTPUT

480 Volt Output	Part Number	NEC Motor HP	NEC Motor Current	Standard Terms	Dimensions (in.)			Weight	List Price
					Height	Width	Depth		
	KDRA1PDR	2	3.4	TB	4.00	4.18	3.75	4	\$152.00
	KDRA2PDR	3	4.8	TB	4.00	4.18	3.75	4	\$177.00
	KDRA3PDR	5	7.6	TB	4.00	4.18	3.75	4	\$181.00
	KDRA4PDR	7.5	11	TB	4.00	4.18	3.75	5	\$186.00
	KDRB1PDR	10	14	TB	5.00	6.00	4.00	7	\$249.00

575 Volt Output	Part Number	NEC Motor HP	NEC Motor Current	Standard Terms	Dimensions (in.)			Weight	List Price
					Height	Width	Depth		
	KDRA31PDR	2	2.7	TB	4.00	4.18	3.75	4	\$175.00
	KDRA35PDR	3	3.9	TB	4.00	4.18	3.75	4	\$207.00
	KDRA33PDR	5	6.1	TB	4.00	4.18	3.75	4	\$216.00
	KDRA34PDR	7.5	9	TB	4.00	4.18	3.75	4	\$240.00
	KDRA36PDR	10	11	TB	4.00	4.18	3.75	5	\$294.00

690 Volt Output	Part Number	NEC Motor HP	NEC Motor Current	Standard Terms	Dimensions (in.)			Weight	List Price
					Height	Width	Depth		
	KDRA31PDRV	2	2.7	QD	4.31	4.18	4.75	4	\$175.00
	KDRA35PDRV	3	3.9	QD	4.31	4.18	4.75	4	\$207.00
	KDRA33PDRV	5	6.1	QD	4.31	4.18	4.75	4	\$216.00
	KDRA34PDRV	7.5	9	QD	4.31	4.18	4.75	4	\$240.00
	KDRA36PDRV	10	11	QD	4.31	4.18	4.75	5	\$294.00

## DIN Rail Drive Reactors KLR™ Series

<b>480 V - 3% Z 575 V - 2.4% Z 240 V - 6% Z</b>	Part Number	480V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
	Height	Width	Depth							
	KLR2ATBDR	1	2	8	TB	4.00	4.25	3.00	4	\$180.00
	KLR3ATBDR	1.5	3	9	TB	4.00	4.25	3.00	4	\$191.00
	KLR4ATBDR	2	4	15	TB	4.00	4.25	3.00	4	\$195.00
	KLR6ATBDR	3	6	17	TB	4.00	4.25	3.00	5	\$220.00
	KLR8ATBDR	5	8	27	TB	4.00	5.00	4.00	5	\$227.00
	KLR12ATBDR	7.5	12	31	TB	5.00	7.00	5.00	7	\$232.00
KLR16ATBDR	10	16	38	TB	5.00	6.00	4.00	8	\$314.00	

<b>480 V - 1.5% Z 240 V - 3% Z</b>	Part Number	480V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
	Height	Width	Depth							
	KLR2BTBDR	1	2	4	TB	4.00	5.00	4.00	4	\$161.00
	KLR3BTBDR	1.5	3	5	TB	4.00	5.00	4.00	4	\$184.00
	KLR4BTBDR	2	4	9	TB	4.00	5.00	4.00	4	\$187.00
	KLR6BTBDR	3	6	9	TB	4.00	5.00	4.00	4	\$189.00
	KLR8BTBDR	5	8	14	TB	4.00	5.00	4.00	4	\$190.00
	KLR12BTBDR	7.5	12	20	TB	4.00	5.00	4.00	4	\$219.00
KLR16BTBDR	10	16	20	TB	5.00	6.00	4.00	7	\$302.00	

<b>480 Volt 5% Z</b>	Part Number	480V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
	Height	Width	Depth							
	KLR2CTBDR	1	2	11	TB	4.00	5.00	4.00	4	\$189.00
	KLR3CTBDR	1.5	3	14	TB	4.00	5.00	4.00	5	\$190.00
	KLR4CTBDR	2	4	23	TB	4.00	5.00	4.00	5	\$196.00
	KLR6CTBDR	3	6	22	TB	5.00	7.00	5.00	7	\$260.00
	KLR8CTBDR	5	8	34	TB	5.00	7.00	5.00	7	\$269.00
KLR12CTBDR	7.5	12	54	TB	5.00	7.00	5.00	8	\$299.00	

<b>575 Volt 3% Z</b>	Part Number	575V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
	Height	Width	Depth							
	KLR2DTBDR	1	2	9	TB	4.00	5.00	4.00	4	\$161.00
	KLR3DTBDR	1.5 - 2	3	12	TB	4.00	5.00	4.00	4	\$189.00
	KLR4DTBDR	3	4	18	TB	4.00	4.25	3.00	4	\$194.00
	KLR6DTBDR	3	6	22	TB	4.00	5.00	4.00	5	\$196.00
	KLR8DTBDR	5	8	28	TB	5.00	7.00	5.00	7	\$197.00
	KLR12DTBDR	7.5	12	44	TB	5.00	7.00	5.00	7	\$219.00
KLR16DTBDR	10	16	52	TB	5.00	6.00	4.00	8	\$302.00	

<b>575 Volt 5% Z</b>	Part Number	575V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
	Height	Width	Depth							
	KLR2ETBDR	1	2	13	TB	4.00	5.00	4.00	4	\$189.00
	KLR3ETBDR	1.5 - 2	3	17	TB	4.00	5.00	4.00	5	\$196.00
	KLR4ETBDR	3	4	27	TB	4.00	5.00	4.00	5	\$214.00
	KLR6ETBDR	3	6	28	TB	5.00	7.00	5.00	7	\$260.00
KLR8ETBDR	5	8	48	TB	5.00	7.00	5.00	7	\$269.00	

## DIN Rail Drive Reactors KLR™ Series

<b>690 Volt 3% Z</b>	Part Number	690V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
						Height	Width	Depth		
	KLR2DQDDRV	1	2	9	QD	4.31	4.18	4.75	4	\$161.00
	KLR3DQDDRV	1.5 - 2	3	12	QD	4.31	4.18	4.75	4	\$189.00
	KLR4DQDDRV	3	4	18	QD	4.31	4.18	4.75	4	\$194.00
	KLR6DQDDRV	3	6	22	QD	4.31	4.18	4.75	5	\$196.00
	KLR8DQDDRV	5	8	28	QD	5.25	4.20	6.00	7	\$197.00
	KLR12DQDDRV	7.5	12	44	QD	5.25	4.20	6.00	7	\$219.00
	KLR16DRLDRV	10	16	52	RL	5.25	4.75	6.00	8	\$302.00

<b>690 Volt 5% Z</b>	Part Number	690V HP	Rated Amps	Watts Loss	Stand. Terms	Dimensions (in.)			Weight	Price
						Height	Width	Depth		
	KLR2EQDDRV	1	2	13	QD	4.31	4.18	4.75	4	\$189.00
	KLR3EQDDRV	1.5 - 2	3	17	QD	4.31	4.18	4.75	5	\$196.00
	KLR4EQDDRV	3	4	27	QD	4.31	4.18	4.75	5	\$214.00
	KLR6EQDDRV	3	6	28	QD	5.25	4.20	6.00	7	\$260.00
	KLR8EQDDRV	5	8	48	QD	5.25	4.20	6.00	7	\$269.00