



See V1K Installation Guide For Terminal Wire Size And Torque Information.





V1K Part Number	Max Voltage	Amps	Weight (LBS)
V1K250A01*	600	250	75

* = (Blank) - No Thermal Switch
 * = T - Thermal Switch Option



Optional Thermal Switch Terminal Block (TB) (0.38-16, Ground Stud.)

Information Label



Customer Is Responsible For Installation to Meet All National And Local Electrical Codes.
 Material(s) Shall be RoHS Compliant

DIMENSIONS IN INCHES (EXCEPT AS NOTED) TOLERANCES (EXCEPT AS NOTED) DECIMAL .XX ± .25 .XXX ± .10 FRACTIONAL ± 1/32 ANGULAR ± 1°		THE INFORMATION AND DESIGN CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIANT INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIANT INC. AND ITS SUBSIDIARIES.		DES BY: DSW	DATE: 4/26/17		W132N10611 Grant Drive Germantown, WI 53022 © 2026 Alliant Inc.
J	7429	Drawing Chg	03/11/26	DSW	SCALE: 1/3		V1K250A01 250A, V1K Type 1
NO	ECO	REVISION	DATE	BY	SCALE	DEN. NO.	SIZE
					1/3	102410-2DG	SHT. 1 OF 1