






See V1K Installation Guide For Terminal Wire Size And Torque Information.





V1K Part Number	Max Voltage	Amps	Weight (LBS)
V1K200A00*	600	200	45

* = (Blank) - No Thermal Switch
 * = T - Thermal Switch Option



Mounting Orientation-Up

(Customer Connections) Markings On Coil For Reference Only.



Customer Is Responsible For Installation to Meet All National and Local Electrical Codes. Material(s) Shall be RoHS Compliant

DIMENSIONS IN INCHES (EXCEPT AS NOTED) TOLERANCES (EXCEPT AS NOTED) DECIMAL .XX ± .25 .XXX ± .10 FRACTIONAL ± 1/32 ANGULAR ± 1°		THE INFORMATION AND DESIGN CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIANT INC AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIANT INC AND ITS SUBSIDIARIES.		REV. 01	DATE	BY	SCALE	DWG. NO.	SIZE	SHT. 1 OF 1
0	7429	Flag, Terminal Change/Drawing chg.	3/9/26	DSW	1:2.5	102653-1DG	C			
NO ECO		REVISION	DATE	BY	SCALE	DWG. NO.	SIZE	SHT. 1 OF 1		



V1K200A00
 200A, V1K OPEN