



NOTE: FOR WIRE RANGE AND TORQUE INFORMATION SEE IOM MANUAL.

HGP PART NUMBER	HP	VOLT	CURRENT	WEIGHT	TERMINAL BLOCK (WIRE RANGE)	GROUND LUG (WIRE RANGE)
MSD0023A300	15	480V	23 Amps	75LBS	1-22AWG	1/0-14AWG
MSD0030A300	20	480V	30 Amps	75LBS	1-22AWG	1/0-14AWG
MSD0035A300	25	480V	35 Amps	75LBS	1-22AWG	1/0-14AWG
MSD0045A300	30	480V	45 Amps	90LBS	1-22AWG	1/0-14AWG

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

NO	REVISION	DATE	BY
H	6006 Add Customer Entry	07/28/22	JRN
G	3696 Add Discharge Label	07/28/22	DSW
F	3345 Enclosure Updated	09/04/15	DSW
E	3364, 75° To 90° Min	06/30/15	DSW

TOLERANCES (EXCEPT AS NOTED)
DECIMAL
.XX ± .03
.XXX ± .010
FRACTIONAL
± 1/32
ANGULAR
± 1°

TCL W132N10611 (Rev. 11/16)
Germantown, WI 53022
© 2022 TCL, LLC
An *Official Motors Group* Company
MSD 23 Amps To 45 Amps, MotorShield
480/3/60, Type 1/3R
OWN BY: DSW DATE: 07/28/22 105795DG
SCALE: 1/4 DRAWN: CSE

0.44 DIA HOLES
4 PLACES.

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1