



Customer To Supply
480V, .4A Single Phase
Power For fans



MSD PART NUMBER	HP	VOLTAGE	CURRENT	APPROX. WEIGHT	PRESSURE TERMINAL WIRE RANGE
MSN0750A300	600	480V	750 AMPS	825 LBS	(3) 600MCM-2AWG

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

NOTE:
TORQUE WIRE TERMINAL TO 450 in-lb.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED) DECIMAL .XX ± .03 .XXX ± .010 FRACTIONAL ± 1/32 ANGULAR ± 1°		 MotorShield Sinewave Filter MSN0750A300, 480/3/60, Type 1/3R	W132N140V1 Rev 11/23 Germantown, WI 53042 © 2023 TCI, LLC
D	6471 Added torque spec note	11/23	JSG	DWN BY: DSW DATE: 07/14/15 SCALE: 1:10 DRAWN: [Signature]			
C	5020 Updated Lugs	01/03/20	JRN	REVISION DATE BY		105949DG	SHT 1 OF 1
B	4984 Added fan housing	11/26/19	JRN				
A	As Built	07/14/15	DSW				
NO	REVISION	DATE	BY				