



(Customer Connections)
Markings On Terminal Block/ Coil
For Reference Only.

Wire Range: 1- 4 AWG. Torque : 35 LBS-IN (3.95 Nm)
6- 14 AWG. Torque : 30 LBS-IN (3.39 Nm)
16- 20 AWG. Torque : 25 LBS-IN (2.28 Nm)
22 AWG. Torque : 20 LBS-IN (2.26 Nm)



TCI Part Number	Amps (A)	Rated Voltage (V)	Hz	---uH ±5%	Approx Weight (LBS)
KTRMG23A	23	480	60	2080	35
KTRMG30A	30	480	60	1590	35
KTRMG35A	35	480	60	1370	35



Thermal Switch Terminal Block

TS1 TS2

Wire Range: 18 AWG To 4 AWG.
Torque: 20 LB-IN (2.3 Nm)

Switch Opens on Temperature Rise
Contact Rating: 6A @ 120 VAC

Customer Is Responsible For Installation
To Meet All NationalAnd Local Electrical Codes.

Material(s) Shall be RoHS Compliant
Dimensions are in inches unless otherwise specified.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				1	6984 Add Max Dims	3/21/25	DSW	TOLERANCES (EXCEPT AS NOTED)	 An Allied Motion Company KTRMG H Frame, Terminal Block Reactor Drawing W132N10611 (Rev 13) 5/24 © 2024 TCI, LLC
				H	6839, Update, Match Revs	11/19/2024	DSW	DECIMAL	
				C	5379, Add KTRMG23A	9/3/2020	DSW	.XX ± .25 .XXX ± .10	
				B	Add KTRMG16B	4/21/2020	JRN	FRACTIONAL	
				A	Combined Drawings, Added T/S	04/08/19	JRN	ANGULAR	DATE: 04/08/19
				NO	REVISION	DATE	BY	SCALE: 1/2	108080DG
									108080DG
									SHT 1 OF 1