


4

3

2

1

Top View



Thermal Switch Terminal Block

Wire Range: 18 AWG To 4 AWG.
Torque: 20 LB-IN (2.3 Nm)

Switch Opens on Temperature Rise
Contact Rating: 6A @ 120 VAC

(Customer Connections)
Markings On Terminal Block
For Reference Only.

TCI Part Number	Rated Amps (A)	Rated Voltage (V)	Hz	---uH ±5%	Approx Weight (LBS)
KTRMG55A	55	480	60	869	65
KTRMG45C	45	600	60	1330	70

TCI, LLC
Germantown, WI
www.transcoll.com
800-824-8282


KDR Drive Reactor
KTRMG— (Motor Amps) Or (Rating Amps)
3 PH, 50/60Hz, 600V Max. —Max.
40C Amb Max, 155C Rise.

(800) 824-8282 • transcoll.com


SA CE

A1 A2 B1 B2 C1 C2


Front View



Wire Range: 1- 4 AWG. Torque : 35 IN-LBS (3.95 Nm)
6- 14 AWG. Torque : 30 IN-LBS (3.39 Nm)
16- 20 AWG. Torque : 25 IN-LBS (2.28 Nm)
22 AWG. Torque : 20 IN-LBS (2.26 Nm)



Bottom View



Material(s) Shall be RoHS Compliant

TCI, LLC CLAIMS PROPRIETARY RIGHTS IN THE MATERIAL HEREIN DISCLOSED. IT IS SUPPLIED WITHOUT PREJUDICE TO ANY PATENT RIGHTS OF TCI AND MAY NOT BE REPRODUCED OR USED TO MANUFACTURE ANYTHING SHOWN THEREIN WITHOUT WRITTEN PERMISSION FROM TCI.				TOLERANCES (EXCEPT AS NOTED)	W132 N10611 Grant Drive Germantown, WI 53022 KTRMG J Frame, Terminal Block Reactor Drawing
				DECIMAL	
				.XX ± .25 .XXX ± .10	
				FRACTIONAL ± 1/16	
	A	Combined Drawings, Added T/S	07/30/19	JRN	DRN BY JRN DATE 07/30/19 108082DG
	NO	REVISION	DATE	BY	SCALE: 1/2 APRVD: SIZE C SHT.1 OF 1

4

3

2

1