





Wire Range: 1- 4 AWG. Torque : 35 IN-LBS (3.95 Nm)
 6- 14 AWG. Torque : 30 IN-LBS (3.39 Nm)
 16- 20 AWG. Torque : 25 IN-LBS (2.28 Nm)
 22 AWG. Torque : 20 IN-LBS (2.26 Nm)

(Customer Connections)
 Markings On Terminal Block/Coil
 For Reference Only.




Thermal Switch
 Terminal Block



Wire Range: 18 AWG To 4 AWG.
 Torque: 20 LB-IN (2.3 Nm)
 Switch Opens on Temperature Rise
 Contact Rating: 6A @ 120 VAC

TCI Part Number	Amps (A)	Rated Voltage (V)	Hz	---uH $\pm 5\%$	Approx Weight (LBS)
KTRMG55A	55	480	60	869	65
KTRMG45C	45	600	60	1330	70

Customer Is Responsible For Installation
 To Meet All National And Local Electrical Codes.
 Material(s) Shall be RoHS Compliant
 Dimensions are in inches unless otherwise specified.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 An Allied Motion Company W132N10611 (Rev 13) 5/22 © 2025 TCI, LLC
				DECIMAL		
				.XX $\pm .25$ XXX $\pm .10$		
				FRACTIONAL		
H	6984, Add Max Dims	5/9/25	DSW	ANGULAR		KTRMG J Frame, Terminal Block Reactor Drawing 108082DG SCALE: 1/2 DATE: 07/30/19 BY: JRN CHECK: C
G	6839, Match Revs	11/22/2024	DSW	$\pm 1^\circ$		
A	Combined Drawings, Added T/S	07/30/19	JRN			
NO	REVISION	DATE	BY			