




NOTE: MARKINGS A1,A2,B1,B2,C1,C2 ON COILS, ARE FOR REFERENCE ONLY.



Thermal Switch Terminal Block

Wire Range: 18 AWG To 4 AWG.
Torque: 20 LB-IN (2.3 Nm)
Switch Opens on Temperature Rise
Contact Rating: 6A @ 120 VAC

TCI Part Number	Rated Amps (A)	Rated Voltage (V)	Hz	---uH ±5%	Approx Weight (LBS)	Terminal Hole Size (Inches)
KTRMG80A	80	480	60	598	86	0.38



STRIP, I-2.4, M6 2.50 STACK

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

NO	REVISION	DATE	BY
A	6295, Inductor Updated	5/3/2023	

TOLERANCES (EXCEPT AS NOTED)		TCI		W132N10611 (Rev. 11/16)	
DECIMAL	.XX ± .25 .XXX ± .10	An Allied Motion Company		Germanstown, WI 53022	
FRACTIONAL	± 1/32	KTRMG80A		© 2023 TCI, LLC	
ANGULAR	± 1°	Open, Sinewave Inductor		108083-2DG	
SCALE	1/2.5	DRN BY	DATE	REV	REV

D
C
B
A