


TCI Part#	Motor Amps (A)	Maximum Amps (A)	Total Loss (W)	--mH±10%	Weight (LBS)
KDRB3Q	16	16	19	0.360	8
KDRB4Q	18	18	24	0.360	8
KDRB5Q	21	21	34	0.360	8
KDRB6Q	25	25	50	0.360	8
KDRB7Q	27	27	37	0.300	8

- Notes:
1. UL file number: cULus Listed File E116124.
  2. V1K Drive Reactors Comply With The Thermal and Altitude Standards Set Forth by NEMA ST20-1992.
  3. V1K IOM Manual Part Number 25316
  4. Material(s) Shall be RoHS Compliant
  5. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.

## V1K SCHEMATIC



CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

REVISION	DATE	BY	SCALE
A	As Designed	06/20/2022	GJS
NO	REVISION	DATE	BY

TOLERANCES (EXCEPT AS NOTED)
DECIMAL
.XX ± .25
.XXX ± .10
FRACTIONAL
± 1/32
ANGULAR
± 1°

Material(s) Shall be RoHS Compliant	
<b>TCI</b> An Allied Motion Company	
W132N10611 Grant Drive Gemantown, WI 53022 © 2022 TCI, LLC	
KDR, V1K Output Inductor 16-27 Amps Max 480V	
DRN BY GJS	DATE 06/20/2022
SCALE 1:1.5	SIZE C
APRVD:	SHT. 1 OF 1