






TCI Part#	Motor Amps (A)	Maximum Amps (A)	Total Loss (W)	--mH±10%	Weight (LBS)	Terminal Hole Size (Inches)	Available Lug Kit
KDRF2Q	110	110	94	0.072	30	0.28	SLK10


- Notes: 1. UL file number: cULus Listed File E116124.  
2. V1K Drive Reactors Comply With The Thermal and Altitude Standards Set Forth by NEMA ST20-1992.  
3. V1K IOM Manual Part Number 25316  
4. Material(s) Shall be RoHS Compliant  
5. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.



(Customer Connections) Markings On Coils For Reference Only.




V1K SCHEMATIC



Material(s) Shall be RoHS Compliant

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 An Allied Motion Company KDR, V1K Output Inductor 110Amps Max 480V		W132N10611 Grant Drive Germantown, WI 53022 © 2022 TCI, LLC	
				DECIMAL					
				.XX ± .25 .XXX ± .10					
				FRACTIONAL ± 1/32					
				ANGULAR ± 1°					
A	As Designed	06/20/2022	GJS	DRN. BY GJS	DATE: 06/20/2022	109185		SIZE C	SHT.1 OF 1
NO	REVISION	DATE	BY	SCALE: 1:1.5	APRVD:				