






MSD Part Number	HP	VOLT	CURRENT	WEIGHT	PRESSURE TERMINAL WIRE RANGE
MSD0248B000	100	240V	248 AMPS	525 LBS	(2) 600MCM-4AWG



NOTE: FOR WIRE RANGE AND TORQUE INFORMATION SEE IOM MANUAL.



AIR FLOW



CUSTOMER IS RESPONSIBLE FOR PROPER COOLING OF FILTER COMPONENTS

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

DIMENSIONS IN INCHES (EXCEPT AS NOTED) TOLERANCES (EXCEPT AS NOTED) DECIMAL .XX ± .25 .XXX ± .10 FRACTIONAL ± 1/16 ANGULAR ± 1°	THE INFORMATION AND DESIGN CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIENT INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIENT INC. AND ITS SUBSIDIARIES.	DRN BY	JRN		W132N10611 Grant Drive Germantown, WI 53022 © 2026 Allient Inc.						
		DATE	04/24/26		MotorShield Sinewave Filter 248 Amp, 240/3/60, Open						
NO	ECO	REVISION	DATE	BY	SCALE	1/3	DRN NO.	109931DG	SIZE	C	SHT. 1 OF 1