



Capacitor, 10kVar, 600V, 60Hz  
Oil Version, Spring Clamp, Vishay.  
3 x 20.3uF Delta Connection  
Approx Weight: 2.87  
LBS



Wire Range: 14 AWG To 4 AWG  
Strip Length: 0.71 IN.  
Wire Insulation Insertion Depth: 0.315 IN.  
Maximum Ferrule Dimensions: Rectangular 0.299 IN Wide  
By 0.236 IN Thick, Long Dimension Horizontal.

Required Clearance  
For Overpressure  
Tear-Off Expansion



Open Lever to Insert Wire  
Release or Close Lever After Wire Is  
Inserted to Clamp Wire.  
Lever Is Designed for at Least  
10 Operating Cycles.  
Continuous Use Can Result in Excessive Wear.

7.48 ± 0.059

3.32

0.63 ± 0.020

Lock Washer

Nut

M12


Mounting Nut Tightening Torque: 88.5 (LBS-IN) 10 [Nm].

Ø3.32

**Warning: Bleeder Resistor Must Be Installed  
In Every Capacitor  
Capacitor Voltage Will Not Discharge After  
Switching Power Off Without Bleeder Resistor  
Installed.**

Press Orange Plate Marked "PUSH" To Insert Resistor  
Leads Into Capacitor Terminal Block.  
Body Of Resistor Will Be Flush With Terminal Block.

Bleeder Resistor




Supplied Factory Bleeder  
Resistor Value, 615k  
Note: Bleeder Resistor Color May Vary.

**Warning**



After switching off the power, always allow 5 minutes for  
the capacitors in the filter and in the drive to  
discharge before working on the filter, the drive, the  
motor, or the connecting wiring. It is a good idea to check  
with a voltmeter to make sure that all sources of power  
have been disconnected and that all capacitors have  
discharged before beginning work.

Material(s) Shall be RoHS Compliant  
Material(s) shall meet REACH requirements

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 W132N10611 (Rev. 1345) Germantown, WI 53022 © 2024 TCI, LLC An <i>allied motion</i> Company Cap, 10kVar, 600V, 60Hz Oil, Spring Clamp, Vishay.		DWG BY: DSW DATE: 2/3/2023 FILE: 32494	
				DECIMAL	.XX ± .06 .XXX ± .03				
				FRACTIONAL	± 1/32				
				ANGULAR	± 1°				
A	As Drawn	2/3/2023	DSW	NO	REVISION	DATE	BY	SCALE: 1:1.3	SHT 1 OF 1