






(Customer Connections)
Markings On Terminal Block
For Reference Only.

Wire Range: 4-18 AWG.
Torque : 20 IN-LBS (2.3 Nm)



Notes:

1. UL file number: cULus Listed File E116124.
2. KDR Line Inductors Comply With The Thermal and Altitude Standards Set Forth by NEMA ST20-1992.
3. KDR IOM Manual Part Number 30895
4. Material(s) Shall be RoHS Compliant
5. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.
6. Dimensions are in inches unless otherwise specified.

| 480 Rated Voltage, 600 Max Voltage, High Z, Impedance. | | | | | |
|--|-----------------|----------------|------------------|-----------------|--------------|
| Part Number | Horsepower (HP) | Motor Amps (A) | Maximum Amps (A) | Inductance (uH) | Weight (LBS) |
| KDRC1H | 25 | 34 | 35 | 980 | 15 |

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

| | | | | |
|----|------------------------------|-----------|-----|----------------------|
| G | 6904, TB, Information Added. | 12/17/24 | DSW | FRACTIONAL ± 1/16 |
| F | 6799, Match Revisions | 9/16/2024 | DSW | ANGULAR ± 1° |
| NO | REVISION | DATE | BY | |

TOLERANCES (EXCEPT AS NOTED)

DECIMAL
.XX ± .25
.XXX ± .10

FRACTIONAL
± 1/16

ANGULAR
± 1°

TCI
An Allied Motion Company

W132N10611 (Rev'd 12/16/24)
Germantown, WI 53022
© 2024 TCI, LLC

KDRC1H
Inductor Drawing

DWN BY: DSW DATE: 9/16/2024
SCALE: 1:1.2 DRAWN BY: C

109650DG

SHT 1 OF 1