






CATALOG NO	VOLTAGE	NEC MOTOR HP	NEC MOTOR CURRENT	WATTS LOSS	APPROX. WEIGHT-LBS	TERMINAL BLOCK TORQUE: (LB-IN)
KDRD42LC2	575/600	30	32	106	18	20

NEC MOTOR CURRENTS SHOWN IN THE 575/600 VOLT CHART ARE BASED ON HORSE POWERS AT 575 VOLT.



NOTE: A1, A2, B1, B2, C1, C2, MARKINGS ON TERMINAL BLOCK FOR REFERENCE ONLY.



CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

TOLERANCES (EXCEPT AS NOTED)				W132 N10611 Grant Drive Germantown, WI 53022	
DECIMAL				KDR DRIVE REACTOR 600V LOW Z, FRAME D	
.XX ± .03					
.XXX ± .01					
FRACTIONAL				DRN. BY DSW DATE 02/27/2012 DWG. NO. KDRD42LC2DG	
± 1/32				SCALE DSW APRVD. B	
ANGULAR				SHT. 1 OF 1	
± 1/2°					
NO	REVISION	DATE	BY		