





(Customer Connections)
Markings On
Terminal Block
And Coil
For Reference Only.



Wire Range: 1- 4 AWG. Torque : 35 IN-LBS (3.95 Nm)
6- 14 AWG. Torque : 30 IN-LBS (3.39 Nm)
16- 20 AWG. Torque : 25 IN-LBS (2.28 Nm)
22 AWG. Torque : 20 IN-LBS (2.26 Nm)



Thermal Switch
Terminal Block



Wire Range: 18 AWG To 4 AWG.
Torque: 20 LB-IN (2.3 Nm)
Switch Opens on Temperature Rise
Contact Rating: 6A @ 120 VAC

Customer Is Responsible For Installation to
Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		DECIMAL		FRACTIONAL		ANGULAR		SCALE: 1/2"		DATE: 10/21/2021		DRAWN BY: DSW		DATE: 10/21/2021		REVISED BY: CS		DATE: 10/21/2021		PART NUMBER: 109037DG		SHEET: 1 OF 1	
A				As Designed		10/21/2021		DSW		± .01		± 1/16		1/2"		10/21/2021		109037DG		10/21/2021		10/21/2021		109037DG		10/21/2021	
NO				REVISION		DATE		BY		± 1"		± 1"		1/2"		10/21/2021		109037DG		10/21/2021		10/21/2021		109037DG		10/21/2021	

W132N10611 (Rev 1346)
Germano, WI 53022
© 2021 TCI, LLC
KDRG2FE, EPF, 15HP