





(Customer Connections)
Markings On Coils
For Reference Only.



690V Max Voltage, Output

Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH)	Weight (LBS)	Terminal Hole Diameter (Inches)
KDRH31PV	125	125	130	146	30	0.38

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.

NO	REVISION	DATE	BY
A	6394 was bushbar	8/28/2023	DSW

TOLERANCES (EXCEPT AS NOTED)
DECIMAL
.XX ± .25
.XXX ± .10
FRACTIONAL
± 1/32
ANGULAR
± 1°

TCL W132N10611 (Rev. 13 Feb 2023)
Germantown, WI 53022
© 2023 TCI, LLC
An Official Motors Company
KDR H Frame, Flag Version
690V Inductor Drawing
DWN BY: DSW DATE: 3/05/07 103104DG
SCALE: 1/2 DRAWN BY: DSW
SHT 1 OF 1