







| CATALOG NO | VOLTAGE | NEC MOTOR HP | NEC MOTOR CURRENT | WATTS LOSS | APPROX WT-LBS | TERMINAL HOLE SIZE |
|------------|---------|--------------|-------------------|------------|---------------|--------------------|
| KDRJ1LC5 | 480 | 400 | 477 | 470 | 120 | .53 |



.328 DIA. 2 HOLES



.44 DIA. 4 MTG. HOLES

CUSTOMER IS RESPONSIBLE FOR INSTALLATION TO MEET ALL NATIONAL AND LOCAL ELECTRICAL CODES.

| TOLERANCES (EXCEPT AS NOTED) | | | | TCI 7878 N. 86th STREET MILWAUKEE, WI 53224 | |
|------------------------------|----------|------|----|---|--------------|
| DECIMAL | | | | KDR DRIVE REACTOR, ENCLOSED 480V LOW Z, FRAME J | |
| .XX ± .03 | | | | DRN. BY | DATE 2/14/12 |
| .XXX ± .01 | | | | SCALE | APRVD. B |
| FRACTIONAL | | | | DWG. NO. KDRJ1LC5DG | |
| ± 1/32 | | | | SHT. 1 OF 1 | |
| ANGULAR | | | | | |
| ± 1/2° | | | | | |
| NO | REVISION | DATE | BY | | |