







Part Number	Horsepower (HP)	Amps (A)	--uH +/-10%	Losses (W)	Weight (LBS)	Terminal Hole Size (Inches)
KLR160CCB	125	160	230	254	75	0.28
KLR160ECB	150	160	275	299	75	0.28




(Customer Connections)  
Markings On Coils  
For Reference Only.



Customer Is Responsible For Installation  
To Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 W132N10611 (Rev 13 Feb 2024) Germantown, WI 53022 © 2024 TCI, LLC	
				DECIMAL		KLR (L Frame)	
				.XX ± .25		Reactor Drawing	
				.XXX ± .10		DRN BY: DATE: 03/16/98	
				FRACTIONAL		SCALE: 1/2.5	
				± 1/32		REVISED	
				ANGULAR		KLR-91-IDG	
				± 1°		SHT 1 OF 1	
A	6591, Bus Bar to Flag 32766	3/5/2024	DSW	NO	REVISION	DATE	BY