






TCI Part Number	Horsepower (HP)	Rated Amps (A)	---uH +8%/-2%	Weight (LBS)
KTR052A65HE	40	14.1	6240	50




Markings On Coil And Terminal Block
For Reference Only.



Wire Range:
1AWG (7 & 19 strand only), 2 AWG to 22AWG
Tightening Torque:
1AWG thru 4AWG 35 in.-lb. max
6AWG thru 14AWG 30 in.-lb. max
16AWG thru 22AWG 25 in.-lb. max




Thermal Switch
Terminal Block
TS1 TS2



Wire Range: 18 AWG To 4 AWG.
Torque: 20 LB-IN (2.3 Nm)
Switch Opens on Temperature Rise
Contact Rating: 6A @ 120 VAC

Customer Is Responsible For Installation to
Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.				TOLERANCES (EXCEPT AS NOTED)		 W132N10611 (Rev'd 13Feb Germantown, WI 53022 © 2022 TCI, LLC KTR052A65HE, 40HP HSE 14.1 Amps, 480V 109280DG	DATE: 10/5/2022 SCALE: 1/2"=1'-0" SHEET: 1 OF 1
				DECIMAL			
				.XX ± .25 .XXX ± .10			
				FRACTIONAL ± 1/16 ANGULAR ± 1°			
A	As Designed	10/5/2022	DSW	DRN BY: DSW		DATE: 10/5/2022	109280DG
NO	REVISION	DATE	BY	SCALE: 1/2"=1'-0"		SHEET: 1 OF 1	